

## SAFETY DATA SHEET

STC

Page 1

Issued: 16/08/2010

Revision No: 4

### 1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

**Product name:** STC

**Product code:** 510

**Use of substance / preparation:** 510 : A viscous, pleasantly fragranced, bactericidal liquid for cleaning and descaling toilets and urinals. Safe on stainless steel.

**Company name:** Clover Chemicals Ltd  
Clover House  
Macclesfield Road  
Whaley Bridge, High Peak  
Derbyshire  
SK23 7DQ  
UK  
Tel: +44 (0) 1663 733114  
Fax: +44 (0) 1663 733115  
Email: technical@cloverchemicals.com

### 2. HAZARDS IDENTIFICATION

**Main hazards:** Irritating to eyes.

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

**Hazardous ingredients:** SULPHAMIC ACID 5-10%  
EINECS: 226-218-8 CAS: 5329-14-6  
[Xi] R36/38; [-] R52/53

- C 12/15 A, 3-12 EO MULTIBRANCHED (DID 27) 1-2%  
EINECS: POLYMER CAS: 24938-91-8  
[Xn] R22; [Xi] R41
- C9/11 A, >3-6 EO PREDOMINANTLY LINEAR (DID 21) 1-2%  
EINECS: POLYMER CAS: 160875-66-1  
[Xi] R41

### 4. FIRST AID MEASURES (SYMPTOMS)

**Skin contact:** There may be irritation and redness at the site of contact.

**Eye contact:** There may be pain and redness. The eyes may water profusely. There may be severe pain. The vision may become blurred. May cause permanent damage.

**Ingestion:** There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.

**4. FIRST AID MEASURES (ACTION)**

- Skin contact:** Wash immediately with plenty of soap and water.
- Eye contact:** Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.
- Ingestion:** Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water to drink immediately. Consult a doctor.
- Inhalation:** Transfer to hospital as soon as possible.

**5. FIRE-FIGHTING MEASURES**

- Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.
- Exposure hazards:** In combustion emits toxic fumes.
- Protection of fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

**6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions:** Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.
- Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding.
- Clean-up procedures:** Transfer to a suitable container.

**7. HANDLING AND STORAGE**

- Handling requirements:** Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Avoid the formation or spread of mists in the air.
- Storage conditions:** Store in cool, well ventilated area. Keep container tightly closed.
- Suitable packaging:** Polyethylene. Stainless steel. Teflon.

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

- Hand protection:** Impermeable gloves. Gloves (acid resistant).
- Eye protection:** Safety glasses.
- Skin protection:** Protective clothing.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

- State:** Liquid
- Colour:** Blue
- Odour:** Sweet-smelling
- Evaporation rate:** Moderate
- Oxidising:** Non-oxidising (by EC criteria)
- Solubility in water:** Soluble
- Viscosity:** Viscous

**Boiling point/range°C:** 100  
**Melting point/range°C:** 0  
**Relative density:** 1.045  
**pH:** 1% = 2 - 2.5  
**VOC g/l:** 0

## 10. STABILITY AND REACTIVITY

**Stability:** Stable under normal conditions.  
**Conditions to avoid:** Heat.  
**Materials to avoid:** Strong oxidising agents.  
**Haz. decomp. products:** In combustion emits toxic fumes.

## 11. TOXICOLOGICAL INFORMATION

**Hazardous ingredients:** SULPHAMIC ACID  
IPR RAT LDLO 100 mg/kg  
ORL MUS LD50 1312 mg/kg  
ORL RAT LD50 3160 mg/kg

- C 12/15 A, 3-12 EO MULTIBRANCHED (DID 27)  
ORL RAT LD50 1.5 g/kg
- C9/11 A, >3-6 EO PREDOMINANTLY LINEAR (DID 21)  
ORL RAT LD50 >2000 mg/kg

**Routes of exposure:** Refer to section 4 of SDS for routes of exposure and corresponding symptoms.

## 12. ECOLOGICAL INFORMATION

**Hazardous ingredients:** C 12/15 A, 3-12 EO MULTIBRANCHED (DID 27)  
FISH 96H LC50 >1 mg/l

- C9/11 A, >3-6 EO PREDOMINANTLY LINEAR (DID 21)  
ALGAE Scenedesmus 48H EC50 10 - 100 mg/l

**Mobility:** Readily absorbed into soil.

**Persistence and degradability:** Biodegradable. The surfactants contained in this preparation comply with the biodegradability criteria as laid down in regulation (EC) No.648/2004 on detergents.

**Bioaccumulative potential:** No bioaccumulation potential.

**Other adverse effects:** Negligible ecotoxicity.

## 13. DISPOSAL CONSIDERATIONS

**Disposal of packaging:** Dispose of as normal industrial waste.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

**14. TRANSPORT INFORMATION****ADR / RID****UN no:** Not Classified.**IMDG / IMO****UN no:** Not Classified.**IATA / ICAO****UN no:** Not Classified.**15. REGULATORY INFORMATION****Hazard symbols:** Irritant.**Risk phrases:** R36: Irritating to eyes.**Safety phrases:** S2: Keep out of the reach of children.

S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

**Seveso II guideline:** No**Water hazard class:** 1 Classification by VwVwS**Air emission directive:** Amount m%: 0

**Note:** The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

**16. OTHER INFORMATION****Other information:** This safety data sheet is prepared in accordance with Regulation (EC) No 1907/2006.**Risk phrases used in s.3:** R36/38: Irritating to eyes and skin.

R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R22: Harmful if swallowed.

R41: Risk of serious damage to eyes.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

