

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : P&G Professional System 1 ARIEL Liquid Detergent
Product code : PA00188590
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use
Function or use category : Washing and cleaning products (including solvent based products)

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Procter & Gamble UK Brooklands, Weybridge, Surrey, KT13 0XP, UK

Tel: 01932 896000 Fax: 01932 896200

Professional: customerservice@pgprof.com

1.4. Emergency telephone number

Emergency number : (UK) Emergency Tel: 0800 328 8304(IREL) Emergency Tel: 1800 509 497

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Eye Irrit. 2 H319

Full text of H-phrases: see section 16

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Xi; R36

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



Signal word (CLP) : Warning
Hazard statements (CLP) : H319 - Causes serious eye irritation
Precautionary statements (CLP) : P101 - If medical advice is needed, have product container or label at hand
P102 - Keep out of reach of children
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P337+P313 - If eye irritation persists: Get medical advice/attention
P301+P312 - IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell

2.3. Other hazards

Other hazards not contributing to the classification : No presence of PBT and vPvB ingredients.

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

P&G Professional System 1 ARIEL Liquid Detergent

Safety Data Sheet

according to Regulation (EC) No. 453/2010

3.2. Mixture

Name	Product identifier	%	Classification according to Directive 67/548/EEC	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Sodium C10-13 Alkyl Benzenesulfonate	(CAS No) 68411-30-3 (EC no) 270-115-0 (REACH-no) 01-2119489428-22	10 - 20	Xn; R22 Xi; R41 Xi; R38	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412
Lauramine Oxide	(CAS No) 308062-28-4 (EC no) 931-292-6 (REACH-no) 01-2119490061-47	1 - 5	Xn; R22 Xi; R41 Xi; R38 N; R50	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
C12-14 Pareth-7	(CAS No) 68439-50-9 (EC no) polymer	1 - 5	Xn; R22 Xi; R41	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 Aquatic Chronic 3, H412
C14-15 Pareth-n	(CAS No) 68951-67-7 (EC no) Polymer	1 - 5	Xn; R22 Xi; R41 N; R50	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
Sodium Cumenesulfonate	(CAS No) 15763-76-5 (REACH-no) 01-2119489411-37	1 - 5	Xi; R36	Eye Irrit. 2, H319

Full text of R- and H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

- First-aid measures after inhalation : IF INHALED: remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
- First-aid measures after skin contact : IF ON SKIN: Wash with plenty of soap and water. Remove/Take off immediately all contaminated clothing. If skin irritation occurs: Get medical advice/attention.
- First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
- First-aid measures after ingestion : IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries after inhalation : Coughing. sneezing.
- Symptoms/injuries after skin contact : Redness. Swelling. dryness. Itching.
- Symptoms/injuries after eye contact : Severe pain. Redness. Swelling. Blurred vision.
- Symptoms/injuries after ingestion : Oral mucosal or gastro-intestinal irritation. Nausea. Vomiting. Excessive secretion. Diarrhea.

4.3. Indication of any immediate medical attention and special treatment needed

Refer to section 4.1.

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).

5.2. Special hazards arising from the substance or mixture

- Fire hazard : No fire hazard. Non combustible.
- Explosion hazard : Product is not explosive.
- Reactivity : No dangerous reactions known.

5.3. Advice for firefighters

- Firefighting instructions : No specific firefighting instructions required.
- Protection during firefighting : In case of inadequate ventilation wear respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

- Protective equipment : Wear suitable gloves and eye/face protection.

6.1.2. For emergency responders

- Protective equipment : Wear suitable gloves and eye/face protection.

6.2. Environmental precautions

Consumer products ending up down the drain after use. Prevent soil and water pollution. Prevent spreading in sewers.

6.3. Methods and material for containment and cleaning up

- For containment : Scoop absorbed substance into closing containers.

P&G Professional System 1 ARIEL Liquid Detergent

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Methods for cleaning up

: Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal. Large spills: contain released substance, pump into suitable containers. This material and its container must be disposed of in a safe way, and as per local legislation.

6.4. Reference to other sections

Refer to Sections 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Avoid contact with eyes. Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Do not handle until all safety precautions have been read and understood.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Store in original container. Refer to section 10.

Incompatible products

: Refer to section 10.

Incompatible materials

: Not applicable.

Prohibitions on mixed storage

: Not applicable.

Storage area

: Store in a cool area. Store in a dry area.

7.3. Specific end use(s)

Refer to section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. National limit values

No additional information available

8.1.2. Monitoring procedures: DNELS, PNECS, OEL

Sodium Cumenesulfonate (15763-76-5)	
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	7.6 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	53.6 mg/m ³
DNEL/DMEL (General population)	
Long-term - systemic effects, oral	3.8 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	13.2 mg/m ³
Long-term - systemic effects, dermal	3.8 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	0.23 mg/l
PNEC aqua (intermittent, freshwater)	2.3 mg/l
PNEC (STP)	
PNEC sewage treatment plant	100 mg/l

Sodium C10-13 Alkyl Benzenesulfonate (68411-30-3)	
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	170 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	12 mg/m ³
Long-term - local effects, inhalation	12 mg/m ³
DNEL/DMEL (General population)	
Long-term - systemic effects, oral	0.85 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	3 mg/m ³
Long-term - systemic effects, dermal	85 mg/kg bodyweight/day
Long-term - local effects, inhalation	3 mg/m ³
PNEC (Water)	
PNEC aqua (freshwater)	0.268 mg/l
PNEC aqua (marine water)	0.0268 mg/l
PNEC aqua (intermittent, freshwater)	0.0167 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	8.1 mg/kg dwt
PNEC sediment (marine water)	8.1 mg/kg dwt
PNEC (Soil)	
PNEC soil	35 mg/kg dwt
PNEC (STP)	

P&G Professional System 1 ARIEL Liquid Detergent

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Sodium C10-13 Alkyl Benzenesulfonate (68411-30-3)

PNEC sewage treatment plant	3.43 mg/l
-----------------------------	-----------

Lauramine Oxide (308062-28-4)

DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	11 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	6.2 mg/m ³
DNEL/DMEL (General population)	
Long-term - systemic effects, oral	0.44 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	1.53 mg/m ³
Long-term - systemic effects, dermal	5.5 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	0.0335 mg/l
PNEC aqua (marine water)	0.00335 mg/l
PNEC aqua (intermittent, freshwater)	0.0335 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	5.24 mg/kg dwt
PNEC sediment (marine water)	0.524 mg/kg dwt
PNEC (Soil)	
PNEC soil	1.02 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	24 mg/l

8.2. Exposure controls

8.2.1. Appropriate engineering controls : Not applicable.

8.2.2. Personal protective equipment

Protective personal equipment only required in case of professional use or for large packs (not for household packs). For consumer use please follow recommendation as indicated on the label of the product.

Hand protection : Not applicable.

Eye protection : Wear eye/face protection.

Skin and body protection : Not applicable.

Respiratory protection : Not applicable.

8.2.3. Environmental exposure controls

Not available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Property	Value	Unit	Test method/Notes
Appearance	Liquid.		
Physical state	Liquid		
Colour	Coloured.		
Odour	pleasant (perfume).		
Odour threshold	No data available		
pH	8.4		
Melting point	No data available		
Freezing point	No data available		
Boiling point	>= 90	°C	
Flash point		°C	No flash point till boiling
Relative evaporation rate (butylacetate=1)	No data available		
Flammability (solid, gas)	No data available		
Explosive limits	No data available		
Vapour pressure	No data available		
Relative density	No data available		

P&G Professional System 1 ARIEL Liquid Detergent

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Property	Value	Unit	Test method/Notes
Solubility	Soluble in water.		
Log Pow	No data available		
Auto-ignition temperature	No data available		
Decomposition temperature	No data available		
Viscosity	275	cP	
Explosive properties	No additional information available		
Oxidising properties	No additional information available		

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

10.4. Conditions to avoid

Not required for normal conditions of use.

10.5. Incompatible materials

Not applicable.

10.6. Hazardous decomposition products

None under normal use.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

P&G Professional System 1 ARIEL Liquid Detergent	
LD50 oral calculated	> 2000 mg/kg
Sodium Cumenesulfonate (15763-76-5)	
LD50 oral rat	7000 mg/kg OECD 401
LD50 dermal rabbit	2001 mg/kg OECD 402
LC50 inhalation rat (mg/l)	6.41 mg/l/4h
ATE CLP (oral)	7000 mg/kg bodyweight
ATE CLP (dermal)	2001 mg/kg bodyweight
ATE CLP (vapours)	6.410 mg/l/4h
ATE CLP (dust,mist)	6.410 mg/l/4h
C12-14 Pareth-7 (68439-50-9)	
LD50 oral rat	1600 mg/kg
LD50 dermal rat	2001 mg/kg
ATE CLP (oral)	1600 mg/kg bodyweight
ATE CLP (dermal)	2001 mg/kg bodyweight
C14-15 Pareth-n (68951-67-7)	
LD50 oral rat	> 300 mg/kg
LD50 dermal rat	> 2000 mg/kg
ATE CLP (oral)	500 mg/kg bodyweight
ATE CLP (dermal)	2001 mg/kg bodyweight
Sodium C10-13 Alkyl Benzenesulfonate (68411-30-3)	
LD50 oral rat	1080 mg/kg bodyweight OECD 401
LD50 dermal rat	> 2000 mg/kg bodyweight OECD 402
ATE CLP (oral)	1080 mg/kg bodyweight
ATE CLP (dermal)	2001 mg/kg bodyweight

P&G Professional System 1 ARIEL Liquid Detergent

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Lauramine Oxide (308062-28-4)	
LD50 oral rat	1064 mg/kg OECD 401
LD50 dermal rat	> 2000 mg/kg OECD 402
ATE CLP (oral)	1064 mg/kg bodyweight

Skin corrosion/irritation	: Not classified pH: 8.4
Serious eye damage/irritation	: Causes serious eye irritation. pH: 8.4
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified

Sodium C10-13 Alkyl Benzenesulfonate (68411-30-3)	
NOAEL (chronic, oral, animal/male, 2 years)	350 mg/kg bodyweight
NOAEL (chronic, oral, animal/female, 2 years)	350 mg/kg bodyweight

Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: Acute Toxicity: based upon available data of the substances, classification criteria are not met. Carcinogenicity: based upon available data of the substances, classification criteria are not met. Corrosivity: based upon available data of the substances, classification criteria are not met. Irritation: severely irritant to eyes. Mutagenicity: based upon available data of the substances, classification criteria are not met. Repeated Dose Toxicity: based upon available data of the substances, classification criteria are not met. Sensitization: based upon available data of the substances, classification criteria are not met. Toxicity for Reproduction: based upon available data of the substances, classification criteria are not met.
Other information	: Likely routes of exposure: skin and eye. Information on Effects: refer to section 4.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: No known adverse effects on the functioning of water treatment plants under normal use conditions as recommended. The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
-------------------	---

Sodium Cumenesulfonate (15763-76-5)	
LC50 fishes 1	> 1000 mg/l Oncorhynchus mykiss
LC50 other aquatic organisms 1	> 1000 mg/l OECD 209
EC50 Daphnia 1	> 1000 mg/l Daphnia magna
ErC50 (algae)	230 mg/l Pseudokirchnerella subcapitata
NOEC chronic algae	31 mg/l

C12-14 Pareth-7 (68439-50-9)	
LC50 fishes 1	10 mg/l
EC50 Daphnia 1	10 mg/l
ErC50 (algae)	10 mg/l

C14-15 Pareth-n (68951-67-7)	
LC50 fishes 1	< 1 mg/l
LC50 other aquatic organisms 1	> 100 mg/l
EC50 Daphnia 1	< 1 mg/l
ErC50 (algae)	< 1 mg/l

Sodium C10-13 Alkyl Benzenesulfonate (68411-30-3)	
LC50 fishes 1	1.67 mg/l US EPA 850.1075; Lepomis macrochirus; 96 h
EC50 Daphnia 1	2.9 mg/l OECD 202; Daphnia magna; 48 h
ErC50 (algae)	127.9 mg/l 88/302/EWG; Desmodesmus subspicatus; 72 h
NOEC chronic fish	0.23 mg/l Oncorhynchus mykiss; 72 d
NOEC chronic crustacea	0.5 mg/l Ceriodaphnia sp.; 7 d
NOEC chronic algae	2.4 mg/l 88/302/EWG; Desmodesmus subspicatus; 3 d

Lauramine Oxide (308062-28-4)	
LC50 fishes 1	2.67 mg/l Pimephales promelas

P&G Professional System 1 ARIEL Liquid Detergent

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Lauramine Oxide (308062-28-4)	
EC50 Daphnia 1	3.1 mg/l OECD 202; Daphnia magna
ErC50 (algae)	0.266 mg/l //OECD 201; Pseudokirchneriella subcapitata
NOEC (chronic)	24 mg/l EC10; Pseudomonas putida
NOEC chronic fish	0.42 mg/l //US EPA OPPTS 850.1500; Pimephales promelas
NOEC chronic crustacea	0.7 mg/l //OECD 211; Daphnia magna
NOEC chronic algae	0.078 mg/l //OECD 201; Pseudokirchneriella subcapitata

12.2. Persistence and degradability

Sodium Cumenesulfonate (15763-76-5)	
Persistence and degradability	The substance is biodegradable. Unlikely to persist.
BOD (% of ThOD)	103 % ThOD OECD 301 B

C12-14 Pareth-7 (68439-50-9)	
Persistence and degradability	The substance is biodegradable. Unlikely to persist.
Biodegradation	> 70 %

C14-15 Pareth-n (68951-67-7)	
Persistence and degradability	The substance is biodegradable. Unlikely to persist.

Sodium C10-13 Alkyl Benzenesulfonate (68411-30-3)	
Persistence and degradability	Biodegradable.
Biodegradation	85 % OECD 301 B

Lauramine Oxide (308062-28-4)	
Persistence and degradability	Biodegradable.
Biodegradation	90 % OECD 301 B

12.3. Bioaccumulative potential

Sodium Cumenesulfonate (15763-76-5)	
Log Pow	-1.1 OECD 107; 23 °C; pH 6.9-7.2
Bioaccumulative potential	Not expected to bioaccumulate due to the low log Kow (log Kow < 4).

C14-15 Pareth-n (68951-67-7)	
Bioaccumulative potential	Not measured.

Sodium C10-13 Alkyl Benzenesulfonate (68411-30-3)	
BCF fish 1	2 - 1000 l/kg
Log Pow	1.4 OECD 123; 23 °C; pH: 6.1
Bioaccumulative potential	Not expected to bioaccumulate due to the low log Kow (log Kow < 4).

Lauramine Oxide (308062-28-4)	
Log Pow	< 2.7
Bioaccumulative potential	Not expected to bioaccumulate due to the low log Kow (log Kow < 4).

12.4. Mobility in soil

Sodium C10-13 Alkyl Benzenesulfonate (68411-30-3)	
Log Koc	3.5

Lauramine Oxide (308062-28-4)	
Mobility in soil	307 OECD 106; 23.6 °C

12.5. Results of PBT and vPvB assessment

P&G Professional System 1 ARIEL Liquid Detergent	
Results of PBT assessment	No presence of PBT and vPvB ingredients
Component	
Sodium Cumenesulfonate (15763-76-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Alcohol (64-17-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Propylene Glycol (57-55-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Hydrogenated Castor Oil (8001-78-3)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
MEA Dodecylbenzenesulfonate (85480-55-3)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

P&G Professional System 1 ARIEL Liquid Detergent

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Component	
Sodium C10-13 Alkyl Benzenesulfonate (68411-30-3)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Lauramine Oxide (308062-28-4)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Other adverse effects

Other information : No other effects known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

- 13.1.1. Regional legislation (waste) : Disposal must be done according to official regulations.
- 13.1.2. Disposal recommendations : The waste codes/waste designations below are in accordance with EWC. Waste must be delivered to an approved waste disposal company. The waste is to be kept separate from other types of waste until its disposal. Do not throw waste product into the sewer. Where possible recycling is preferred to disposal or incineration.
. For handling waste, see measures described in section 7. Empty, uncleaned packaging need the same disposal considerations as filled packaging.
- 13.1.3. EURL Waste code product : 20 01 29* - detergents containing dangerous substances
15 01 10* - packaging containing residues of or contaminated by dangerous substances

SECTION 14: Transport information

14.1. UN number

Not applicable

14.2. UN proper shipping name

Not applicable

14.3. Transport hazard class(es)

Not applicable

14.4. Packing group

Not applicable

14.5. Environmental hazards

Not applicable

14.6. Special precautions for user

Not applicable

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

Ingredient label : 5-15% Anionic surfactants, Non-ionic surfactants, Soap; <5% Phosphonates; Enzymes, Optical brighteners, Perfumes, Alpha-isomethyl ionone, Citronellol, Geraniol.

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

Contains no substance on the REACH candidate list

CESIO recommendations : The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

16.1. Indication of changes

Indication of changes : Change in SECTION 2: Hazards identification
Change in SECTION 3: Composition/information on ingredients

P&G Professional System 1 ARIEL Liquid Detergent

Safety Data Sheet

according to Regulation (EC) No. 453/2010

16.2. Abbreviations and acronyms

No additional information available

16.3. Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]

Classification according to Regulation (EC) No. 1272/2008 [CLP]	classification procedure
Eye Irrit. 2	On basis of test data

16.4. Relevant R-phrases and/or H-statements (number and full text) for mixture and substances

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — AcuteHazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
H302	Harmful if swallowed
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H400	Very toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects
R22	Harmful if swallowed
R36	Irritating to eyes
R38	Irritating to skin
R41	Risk of serious damage to eyes
R50	Very toxic to aquatic organisms
N	Dangerous for the environment
Xi	Irritant
Xn	Harmful

16.5. Training advice

Normal use of this product shall imply use in accordance with the instructions on the packaging.

16.6. Further information

Salts listed in Section 3 without a REACH Registration number are exempt, based on Annex V

SDS P&G CLP

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product